

Merrex Gold Inc.

Assay Results from Trenches - Siribaya Gold Project

Hole	From	To	Au (g/t)
TYP-06-001	0.00	1.00	0.02
TYP-06-001	1.00	2.00	≤0.01
TYP-06-001	2.00	3.00	≤0.01
TYP-06-001	3.00	4.00	≤0.01
TYP-06-001	4.00	5.00	0.05
TYP-06-002	0.00	0.30	0.07
TYP-06-002	0.30	1.00	0.03
TYP-06-002	1.00	2.00	0.11
TYP-06-002	2.00	3.00	0.05
TYP-06-002	3.00	4.00	≤0.01
TYP-06-002	4.00	5.00	≤0.01
TYP-06-003	0.00	1.00	0.04
TYP-06-003	1.00	2.00	0.03
TYP-06-003	2.00	3.00	0.06
TYP-06-003	3.00	4.00	0.05
TYP-06-003	4.00	5.00	0.17
TYP-06-005	0.00	1.10	0.49
TYP-06-005	1.10	2.40	1.86
TYP-06-005	1.10	2.40	2.33
TYP-06-005	2.40	3.50	1.21
TYP-06-005	3.50	4.90	0.09
TYP-06-006	0.00	0.30	0.38
TYP-06-006	0.30	2.00	0.28
TYP-06-006	2.00	3.00	0.04
TYP-06-006	3.00	4.00	0.03
TYP-06-006	4.00	4.90	0.02
TYP-06-007	0.00	0.50	0.05
TYP-06-007	0.50	1.50	0.09
TYP-06-007	1.50	2.50	0.04
TYP-06-007	2.50	3.50	0.03
TYP-06-007	3.50	4.50	0.02
TYP-06-007	4.50	5.00	0.02
TYP-06-008	0.00	0.80	0.09
TYP-06-008	0.80	1.60	0.05
TYP-06-008	1.60	2.60	0.05
TYP-06-008	2.60	3.60	0.18

TYP-06-008	3.60	4.10	0.10
TYP-06-009	0.30	1.20	0.04
TYP-06-009	1.20	2.20	0.02
TYP-06-009	2.20	3.20	0.02
TYP-06-009	3.20	4.20	0.02
TYP-06-009	4.20	4.90	0.03
TYP-06-011	0.00	0.60	0.42
TYP-06-011	0.60	2.10	0.42
TYP-06-011	2.10	3.10	0.24
TYP-06-011	3.10	3.90	0.65
TYP-06-011	3.90	4.90	0.47
TYP-06-011B	0.00	1.00	0.61
TYP-06-011B	1.00	2.00	0.44
TYP-06-011B	2.00	3.00	0.31
TYP-06-012	0.00	1.00	0.10
TYP-06-012	1.00	2.00	0.08
TYP-06-012	2.00	3.00	0.04
TYP-06-012	3.00	4.00	0.05
TYP-06-012	4.00	5.00	0.04
TYP-06-013	0.30	1.00	4.40
TYP-06-013	1.00	2.00	11.56
TYP-06-013	2.00	3.00	11.20
TYP-06-013	3.00	4.00	7.00
TYP-06-013	4.00	5.00	0.42
TYP-06-013B	0.00	1.00	0.57
TYP-06-013B	1.00	2.00	0.52
TYP-06-013B	2.00	3.00	1.63
TYP-06-014	0.00	0.50	0.29
TYP-06-014	0.50	2.00	0.12
TYP-06-014	2.00	3.00	0.12
TYP-06-014	3.00	4.00	0.27
TYP-06-014	4.00	5.00	0.05
TYP-06-014B	0.00	1.00	0.13
TYP-06-014B	1.00	2.00	0.02
TYP-06-014B	2.00	3.00	0.02
TYP-06-016	0.00	0.50	0.53
TYP-06-016	0.50	1.00	0.12
TYP-06-016	1.00	2.00	0.15
TYP-06-016	2.00	3.00	0.05
TYP-06-016	3.00	4.00	0.11
TYP-06-016	4.00	5.00	0.80
TYP-06-016B	0.00	1.00	0.07
TYP-06-016B	1.00	2.00	0.11

TYP-06-016B	2.00	3.00	2.36
TYP-06-017	0.00	0.50	0.22
TYP-06-017	0.50	1.00	0.39
TYP-06-017	1.00	2.00	0.39
TYP-06-017	2.00	3.00	0.35
TYP-06-017	3.00	4.00	0.29
TYP-06-017	4.00	5.00	0.56
TYP-06-017B	0.00	1.00	0.28
TYP-06-017B	1.00	2.00	0.04
TYP-06-017B	2.00	3.00	0.03
TYP-06-018	0.00	1.50	1.10
TYP-06-018	1.50	2.50	0.42
TYP-06-018	2.50	3.50	0.31
TYP-06-018	3.50	4.50	0.31
TYP-06-018	4.50	5.00	0.28
TYP-06-018	5.00	6.00	0.36
TYP-06-018B	0.00	1.00	0.36
TYP-06-018B	1.00	2.00	0.28
TYP-06-018B	2.00	3.00	0.33
TYP-06-019	0.00	1.00	0.54
TYP-06-019	1.00	2.00	1.23
TYP-06-019	2.00	3.00	0.48
TYP-06-019	3.00	4.00	0.47
TYP-06-019	4.00	5.00	0.47
TYP-06-019	5.00	6.00	0.57
TYP-06-019B	0.00	1.00	0.36
TYP-06-019B	1.00	2.00	0.36
TYP-06-019B	2.00	3.00	0.41
TYT-06-001A	0.00	2.00	0.29
TYT-06-001A	2.00	4.00	0.22
TYT-06-001A	4.00	6.00	0.29
TYT-06-001A	6.00	8.00	0.21
TYT-06-001A	8.00	10.00	0.28
TYT-06-001A	10.00	12.00	0.24
TYT-06-001A	12.00	14.00	0.33
TYT-06-001A	14.00	16.00	0.62
TYT-06-001A	16.00	18.00	0.37
TYT-06-001A	18.00	20.00	0.17
TYT-06-001A	20.00	22.00	0.19
TYT-06-001A	22.00	24.00	0.35
TYT-06-001A	24.00	26.00	0.22
TYT-06-001A	26.00	28.00	0.26
TYT-06-001A	28.00	30.00	0.27

TYT-06-001A	30.00	32.00	0.49
TYT-06-001A	32.00	34.00	0.18
TYT-06-001A	34.00	36.00	0.24
TYT-06-001A	36.00	38.00	0.20
TYT-06-001A	38.00	40.00	0.28
TYT-06-001A	40.00	42.00	0.34
TYT-06-001A	42.00	44.00	0.34
TYT-06-001A	44.00	46.00	0.33
TYT-06-001A	46.00	48.00	0.21
TYT-06-001A	48.00	50.00	0.35
TYT-06-001A	50.00	51.00	0.37
TYT-06-001A	51.00	52.00	0.35
TYT-06-001A	52.00	53.00	1.74
TYT-06-001A	53.00	54.00	1.92
TYT-06-001A	54.00	55.00	0.65
TYT-06-001A	55.00	56.00	0.47
TYT-06-001A	56.00	57.00	0.58
TYT-06-001A	57.00	58.00	0.47
TYT-06-001A	58.00	59.00	0.34
TYT-06-001A	59.00	60.00	0.46
TYT-06-001A	60.00	61.00	0.34
TYT-06-001A	61.00	62.00	0.41
TYT-06-001A	62.00	63.00	0.76
TYT-06-001A	63.00	64.00	0.76
TYT-06-001A	64.00	65.00	1.37
TYT-06-001A	65.00	66.00	2.07
TYT-06-001A	66.00	67.00	0.72
TYT-06-001A	67.00	68.00	0.84
TYT-06-001A	68.00	69.00	0.54
TYT-06-001A	69.00	70.00	0.52
TYT-06-001A	70.00	71.00	0.54
TYT-06-001A	71.00	72.00	0.51
TYT-06-001A	72.00	73.00	0.32
TYT-06-001A	73.00	74.00	0.88
TYT-06-001A	74.00	75.00	0.59
TYT-06-001A	75.00	76.00	0.49
TYT-06-001A	76.00	77.00	0.58
TYT-06-001A	77.00	78.00	0.47
TYT-06-001A	78.00	80.00	
TYT-06-001A	80.00	81.00	0.27
TYT-06-001A	81.00	82.00	0.32
TYT-06-001A	82.00	83.00	0.34
TYT-06-001A	83.00	84.00	0.28

TYT-06-001A	84.00	85.00	0.49
TYT-06-001A	85.00	86.00	0.46
TYT-06-001A	86.00	87.00	0.27
TYT-06-001A	87.00	88.00	0.42
TYT-06-001A	88.00	89.00	1.85
TYT-06-001A	89.00	90.00	0.84
TYT-06-001A	90.00	91.00	0.87
TYT-06-001A	91.00	92.00	0.52
TYT-06-001A	92.00	93.00	0.42
TYT-06-001A	93.00	94.00	0.33
TYT-06-001A	94.00	95.00	0.29
TYT-06-001A	95.00	96.00	0.26
TYT-06-001A	96.00	97.00	0.22
TYT-06-001A	97.00	98.00	0.42
TYT-06-001A	98.00	99.00	0.24
TYT-06-001A	99.00	100.00	0.19
TYT-06-001A	100.00	101.00	0.25
TYT-06-001A	101.00	102.00	0.21
TYT-06-001A	102.00	103.00	0.20
TYT-06-001A	103.00	104.00	0.11
TYT-06-001A	104.00	105.00	0.14
TYT-06-001A	105.00	106.00	0.15
TYT-06-001A	106.00	107.00	0.06
TYT-06-001A	107.00	108.00	0.16
TYT-06-001A	108.00	109.00	0.28
TYT-06-001A	109.00	110.00	0.36
TYT-06-001A	110.00	111.00	0.39
TYT-06-001A	111.00	113.00	0.48
TYT-06-001A	113.00	115.00	0.81
TYT-06-001A	115.00	117.00	0.34
TYT-06-001A	117.00	119.00	0.15
TYT-06-001A	119.00	120.00	0.12
TYT-06-001B	0.00	50.00	
TYT-06-001B	50.00	51.00	0.72
TYT-06-001B	51.00	52.00	0.63
TYT-06-001B	52.00	53.00	0.79
TYT-06-001B	53.00	54.00	0.47
TYT-06-001B	54.00	55.00	0.51
TYT-06-001B	55.00	56.00	0.44
TYT-06-001B	56.00	57.00	4.11
TYT-06-001B	57.00	58.00	0.92
TYT-06-001B	58.00	59.00	0.68
TYT-06-001B	59.00	60.00	1.38

TYT-06-001B	60.00	61.00	0.65
TYT-06-001B	61.00	62.00	0.65
TYT-06-001B	62.00	63.00	0.63
TYT-06-001B	63.00	64.00	0.82
TYT-06-001B	64.00	65.00	0.55
TYT-06-001B	65.00	66.00	0.37
TYT-06-001B	66.00	67.00	0.37
TYT-06-001B	67.00	68.00	0.47
TYT-06-001B	68.00	69.00	0.34
TYT-06-001B	69.00	70.00	0.39
TYT-06-001B	70.00	71.00	0.28
TYT-06-001B	71.00	72.00	0.33
TYT-06-001B	72.00	73.00	0.28
TYT-06-001B	73.00	74.00	0.43
TYT-06-001B	74.00	75.00	0.58
TYT-06-001B	75.00	76.00	0.44
TYT-06-001B	76.00	77.00	0.32
TYT-06-001B	77.00	78.00	0.39
TYT-06-001B	78.00	79.00	
TYT-06-001B	79.00	80.00	
TYT-06-001B	80.00	81.00	0.36
TYT-06-001B	81.00	82.00	0.59
TYT-06-001B	82.00	83.00	0.83
TYT-06-001B	83.00	84.00	0.81
TYT-06-001B	84.00	85.00	0.59
TYT-06-001B	85.00	86.00	0.33
TYT-06-001B	86.00	87.00	0.36
TYT-06-001B	87.00	88.00	0.41
TYT-06-001B	88.00	89.00	0.32
TYT-06-001B	89.00	90.00	0.25
TYT-06-001B	90.00	91.00	0.41
TYT-06-001B	91.00	92.00	0.30
TYT-06-001B	92.00	93.00	0.24
TYT-06-002	0.00	1.00	0.24
TYT-06-002	1.00	2.00	0.28
TYT-06-002	2.00	3.00	0.36
TYT-06-002	3.00	4.00	0.23
TYT-06-002	4.00	5.00	0.28
TYT-06-002	5.00	6.00	0.27
TYT-06-002	6.00	7.00	0.27
TYT-06-002	7.00	8.00	0.24
TYT-06-002	8.00	9.00	0.25
TYT-06-002	9.00	10.00	0.34

TYT-06-002	10.00	11.00	0.33
TYT-06-002	11.00	12.00	0.29
TYT-06-002	12.00	13.00	0.26
TYT-06-002	13.00	14.00	0.25
TYT-06-002	14.00	15.00	0.24
TYT-06-002	15.00	16.00	0.23
TYT-06-002	16.00	17.00	0.13
TYT-06-002	17.00	18.00	0.15
TYT-06-002	18.00	19.00	0.15
TYT-06-002	19.00	20.00	0.12
TYT-06-002	20.00	21.00	0.15
TYT-06-002	21.00	22.00	0.15
TYT-06-002	22.00	23.00	0.15
TYT-06-002	23.00	24.00	0.17
TYT-06-002	24.00	25.00	0.17
TYT-06-002	25.00	26.00	0.20
TYT-06-002	26.00	27.00	0.15
TYT-06-002	27.00	28.00	0.15
TYT-06-002	28.00	29.00	0.44
TYT-06-002	29.00	30.00	0.49
TYT-06-002	30.00	31.00	0.26
TYT-06-002	31.00	32.00	0.20
TYT-06-002	32.00	33.00	0.21
TYT-06-002	33.00	34.00	0.21
TYT-06-002	34.00	35.00	0.33
TYT-06-002	35.00	36.00	0.28
TYT-06-002	36.00	37.00	0.35
TYT-06-002	37.00	38.00	0.62
TYT-06-002	38.00	39.00	1.19
TYT-06-002	39.00	40.00	1.24
TYT-06-002	40.00	41.00	1.30
TYT-06-002	41.00	42.00	2.04
TYT-06-002	42.00	43.00	1.36
TYT-06-002	43.00	44.00	1.95
TYT-06-002	44.00	45.00	1.49
TYT-06-002	45.00	46.00	0.51
TYT-06-002	46.00	47.00	1.61
TYT-06-002	47.00	48.00	4.92
TYT-06-002	48.00	50.00	
TYT-06-002	50.00	51.00	2.13
TYT-06-002	51.00	52.00	1.02
TYT-06-002	52.00	53.00	2.49
TYT-06-002	53.00	54.00	2.36

TYT-06-002	54.00	55.00	7.10
TYT-06-002	55.00	56.00	4.10
TYT-06-002	56.00	57.00	8.90
TYT-06-002	57.00	58.00	5.10
TYT-06-002	58.00	59.00	12.73
TYT-06-002	59.00	60.00	1.95
TYT-06-002	60.00	61.00	3.78
TYT-06-002	61.00	62.00	4.27
TYT-06-002	62.00	63.00	3.86
TYT-06-002	63.00	64.00	4.36
TYT-06-002	64.00	65.00	0.83
TYT-06-002	65.00	66.00	0.69
TYT-06-002	66.00	67.00	0.60
TYT-06-002	67.00	68.00	0.79
TYT-06-002	68.00	69.00	1.64
TYT-06-002	69.00	70.00	2.30
TYT-06-002	70.00	71.00	2.50
TYT-06-002	71.00	72.00	1.52
TYT-06-002	72.00	73.00	0.46
TYT-06-002	73.00	74.00	0.43
TYT-06-002	74.00	75.00	1.48
TYT-06-002	75.00	76.00	0.53
TYT-06-002	76.00	77.00	0.47
TYT-06-002	77.00	78.00	0.38
TYT-06-002	78.00	79.00	0.34
TYT-06-002	79.00	80.00	0.36
TYT-06-002	80.00	81.00	0.32
TYT-06-002	81.00	82.00	0.37
TYT-06-002	82.00	83.00	0.32
TYT-06-002	83.00	84.00	0.28
TYT-06-002	84.00	85.00	0.27
TYT-06-002	85.00	86.00	0.24
TYT-06-002	86.00	87.00	0.36
TYT-06-002	87.00	88.00	0.30
TYT-06-002	88.00	89.00	0.31
TYT-06-002	89.00	90.00	0.32
TYT-06-002	90.00	91.00	0.30
TYT-06-002	91.00	92.00	0.27
TYT-06-002	92.00	93.00	0.30
TYT-06-002	93.00	94.00	0.30
TYT-06-002	94.00	95.00	0.38
TYT-06-002	95.00	96.00	1.03
TYT-06-002	96.00	97.00	1.97

TYT-06-002	97.00	98.00	0.89
TYT-06-002	98.00	99.00	1.34
TYT-06-002	99.00	100.00	0.65
TYT-06-003	0.00	1.00	0.02
TYT-06-003	1.00	2.00	≤0.01
TYT-06-003	2.00	3.00	0.02
TYT-06-003	3.00	4.00	0.02
TYT-06-003	4.00	5.00	0.05
TYT-06-003	5.00	6.00	0.03
TYT-06-003	6.00	7.00	0.03
TYT-06-003	7.00	8.00	0.02
TYT-06-003	8.00	9.00	0.03
TYT-06-003	9.00	10.00	0.02
TYT-06-003	10.00	11.00	0.02
TYT-06-003	11.00	12.00	0.02
TYT-06-003	12.00	13.00	0.02
TYT-06-003	13.00	14.00	0.03
TYT-06-003	14.00	15.00	0.03
TYT-06-003	15.00	16.00	0.03
TYT-06-003	16.00	17.00	0.09
TYT-06-003	17.00	18.00	0.02
TYT-06-003	18.00	19.00	0.03
TYT-06-003	19.00	20.00	0.02
TYT-06-003	20.00	21.00	0.02
TYT-06-003	21.00	22.00	0.03
TYT-06-003	22.00	23.00	0.07
TYT-06-003	23.00	24.00	0.25
TYT-06-003	24.00	26.00	
TYT-06-003	26.00	27.00	0.06
TYT-06-003	27.00	28.00	0.03
TYT-06-003	28.00	29.00	0.03
TYT-06-003	29.00	30.00	0.03
TYT-06-003	30.00	31.00	0.03
TYT-06-003	31.00	32.00	0.02
TYT-06-003	32.00	33.00	≤0.01
TYT-06-003	33.00	34.00	0.02
TYT-06-003	34.00	35.00	≤0.01
TYT-06-003	35.00	36.00	0.02
TYT-06-003	36.00	37.00	0.02
TYT-06-003	37.00	38.00	0.03
TYT-06-003	38.00	39.00	0.02
TYT-06-003	39.00	40.00	0.03
TYT-06-003	40.00	41.00	0.02

TYT-06-003	41.00	42.00	≤0.01
TYT-06-003	42.00	43.00	0.08
TYT-06-003	43.00	44.00	≤0.01
TYT-06-003	44.00	45.00	≤0.01
TYT-06-003	45.00	46.00	≤0.01
TYT-06-003	46.00	47.00	0.03
TYT-06-003	47.00	48.00	≤0.01
TYT-06-003	48.00	49.00	≤0.01
TYT-06-003	49.00	50.00	≤0.01
TYT-06-004	0.00	1.00	0.05
TYT-06-004	1.00	2.00	0.11
TYT-06-004	2.00	3.00	0.06
TYT-06-004	3.00	4.00	0.05
TYT-06-004	4.00	5.00	0.04
TYT-06-004	5.00	6.00	0.05
TYT-06-004	6.00	7.00	0.06
TYT-06-004	7.00	8.00	0.03
TYT-06-004	8.00	9.00	0.04
TYT-06-004	9.00	10.00	0.04
TYT-06-004	10.00	11.00	0.08
TYT-06-004	11.00	12.00	0.06
TYT-06-004	12.00	13.00	0.06
TYT-06-004	13.00	14.00	0.06
TYT-06-004	14.00	15.00	0.07
TYT-06-004	15.00	16.00	0.08
TYT-06-004	16.00	17.00	0.09
TYT-06-004	17.00	18.00	0.12
TYT-06-004	18.00	19.00	0.53
TYT-06-004	19.00	20.00	0.83
TYT-06-004	20.00	21.00	1.07
TYT-06-004	21.00	22.00	0.97
TYT-06-004	22.00	23.00	0.88
TYT-06-004	23.00	24.00	0.19
TYT-06-004	24.00	26.00	
TYT-06-004	26.00	27.00	0.25
TYT-06-004	27.00	28.00	0.25
TYT-06-004	28.00	29.00	0.13
TYT-06-004	29.00	30.00	0.20
TYT-06-004	30.00	31.00	0.20
TYT-06-004	31.00	32.00	0.23
TYT-06-004	32.00	33.00	0.07
TYT-06-004	33.00	34.00	0.04
TYT-06-004	34.00	35.00	0.03

TYT-06-004	35.00	36.00	0.07
TYT-06-004	36.00	37.00	0.06
TYT-06-004	37.00	38.00	0.20
TYT-06-004	38.00	39.00	0.77
TYT-06-004	39.00	40.00	0.85
TYT-06-004	40.00	41.00	0.12
TYT-06-004	41.00	42.00	0.07
TYT-06-004	42.00	43.00	0.18
TYT-06-004	43.00	44.00	0.85
TYT-06-004	44.00	45.00	0.42
TYT-06-004	45.00	46.00	0.30
TYT-06-004	46.00	47.00	0.27
TYT-06-004	47.00	48.00	0.26
TYT-06-004	48.00	49.00	0.36
TYT-06-004	49.00	50.00	0.11
TYT-06-004	50.00	51.00	0.10
TYT-06-004	51.00	52.00	0.12
TYT-06-004	52.00	53.00	0.11
TYT-06-004	53.00	54.00	0.07
TYT-06-004	54.00	55.00	0.05
TYT-06-004	55.00	56.00	0.07
TYT-06-004	56.00	57.00	0.08
TYT-06-004	57.00	58.00	0.06
TYT-06-004	58.00	59.00	0.07
TYT-06-004	59.00	60.00	0.04
TYT-06-004	60.00	61.00	0.06
TYT-06-004	61.00	62.00	0.04
TYT-06-004	62.00	63.00	0.06
TYT-06-004	63.00	64.00	0.05
TYT-06-004	64.00	65.00	0.05
TYT-06-005	0.00	1.00	0.10
TYT-06-005	1.00	2.00	0.11
TYT-06-005	2.00	3.00	0.10
TYT-06-005	3.00	4.00	0.12
TYT-06-005	4.00	5.00	0.14
TYT-06-005	5.00	6.00	0.15
TYT-06-005	6.00	7.00	0.15
TYT-06-005	7.00	8.00	0.16
TYT-06-005	8.00	9.00	0.38
TYT-06-005	9.00	10.00	0.23
TYT-06-005	10.00	11.00	0.23
TYT-06-005	11.00	12.00	0.23
TYT-06-005	12.00	13.00	0.18

TYT-06-005	13.00	14.00	0.28
TYT-06-005	14.00	15.00	0.23
TYT-06-005	15.00	16.00	0.76
TYT-06-005	16.00	17.00	0.22
TYT-06-005	17.00	19.00	
TYT-06-005	19.00	20.00	2.75
TYT-06-005	20.00	21.00	2.18
TYT-06-005	21.00	22.00	0.52
TYT-06-005	22.00	23.00	1.58
TYT-06-005	23.00	24.00	0.43
TYT-06-005	24.00	25.00	0.62
TYT-06-005	25.00	26.00	0.69
TYT-06-005	26.00	27.00	1.43
TYT-06-005	27.00	28.00	0.21
TYT-06-005	28.00	29.00	0.49
TYT-06-005	29.00	30.00	0.48
TYT-06-005	30.00	31.00	0.99
TYT-06-005	31.00	32.00	0.38
TYT-06-005	32.00	33.00	0.37
TYT-06-005	33.00	34.00	0.22
TYT-06-005	34.00	35.00	0.14
TYT-06-005	35.00	36.00	0.31
TYT-06-005	36.00	37.00	0.52
TYT-06-005	37.00	38.00	0.53
TYT-06-005	38.00	39.00	0.20
TYT-06-005	39.00	41.00	
TYT-06-005	41.00	42.00	0.16
TYT-06-005	42.00	43.00	0.16
TYT-06-005	43.00	44.00	0.16
TYT-06-005	44.00	45.00	0.17
TYT-06-005	45.00	46.00	0.17
TYT-06-005	46.00	47.00	0.49
TYT-06-005	47.00	48.00	0.24
TYT-06-005	48.00	49.00	0.17
TYT-06-005	49.00	50.00	0.31
TYT-06-006	0.00	1.00	0.20
TYT-06-006	1.00	2.00	0.35
TYT-06-006	2.00	3.00	0.12
TYT-06-006	3.00	4.00	0.09
TYT-06-006	4.00	5.00	0.10
TYT-06-006	5.00	6.00	0.06
TYT-06-006	6.00	7.00	0.05
TYT-06-006	7.00	8.00	0.14

TYT-06-006	8.00	9.00	0.08
TYT-06-006	9.00	10.00	0.04
TYT-06-006	10.00	11.00	0.05
TYT-06-006	11.00	12.00	0.04
TYT-06-006	12.00	13.00	0.05
TYT-06-006	13.00	14.00	0.04
TYT-06-006	14.00	15.00	0.05
TYT-06-006	15.00	16.00	0.04
TYT-06-006	16.00	17.00	0.05
TYT-06-006	17.00	18.00	0.05
TYT-06-006	18.00	19.00	0.05
TYT-06-006	19.00	20.00	0.08
TYT-06-006	20.00	21.00	0.07
TYT-06-006	21.00	22.00	0.07
TYT-06-006	22.00	23.00	0.06
TYT-06-006	23.00	24.00	0.04
TYT-06-006	24.00	25.00	0.03
TYT-06-006	25.00	26.00	0.05
TYT-06-006	26.00	27.00	0.07
TYT-06-006	27.00	28.00	0.11
TYT-06-006	28.00	29.00	0.14
TYT-06-006	29.00	30.00	0.06
TYT-06-006	30.00	31.00	0.08
TYT-06-006	31.00	32.00	0.04
TYT-06-006	32.00	33.00	0.03
TYT-06-006	33.00	34.00	0.03
TYT-06-006	34.00	35.00	0.03
TYT-06-006	35.00	36.00	0.03
TYT-06-006	36.00	37.00	0.04
TYT-06-006	37.00	38.00	0.02
TYT-06-006	38.00	39.00	0.04
TYT-06-006	39.00	40.00	0.02
TYT-06-006	40.00	41.00	0.03
TYT-06-006	41.00	42.00	0.04
TYT-06-006	42.00	43.00	0.02
TYT-06-006	43.00	44.00	0.02
TYT-06-006	44.00	45.00	0.05
TYT-06-006	45.00	46.00	0.02
TYT-06-006	46.00	47.00	0.02
TYT-06-006	47.00	48.00	0.03
TYT-06-006	48.00	49.00	≤0.01
TYT-06-006	49.00	50.00	0.02
TYT-07-007	0.00	1.00	0.14

TYT-07-007	1.00	2.00	0.20
TYT-07-007	2.00	3.00	0.20
TYT-07-007	3.00	4.00	0.27
TYT-07-007	4.00	5.00	0.37
TYT-07-007	5.00	6.00	0.47
TYT-07-007	6.00	7.00	0.58
TYT-07-007	7.00	8.00	0.36
TYT-07-007	8.00	9.00	0.33
TYT-07-007	9.00	10.00	0.40
TYT-07-007	10.00	11.00	0.36
TYT-07-007	11.00	12.00	0.63
TYT-07-007	12.00	13.00	0.68
TYT-07-007	13.00	14.00	1.15
TYT-07-007	14.00	15.00	2.23
TYT-07-007	15.00	16.00	4.89
TYT-07-007	16.00	17.00	4.64
TYT-07-007	17.00	18.00	1.74
TYT-07-007	18.00	19.00	2.30
TYT-07-007	19.00	20.00	1.90
TYT-07-007	20.00	21.00	0.68
TYT-07-007	21.00	22.00	0.69
TYT-07-007	22.00	23.00	0.47
TYT-07-007	23.00	24.00	0.45
TYT-07-007	24.00	25.00	0.53
TYT-07-007	25.00	26.00	0.48
TYT-07-007	26.00	27.00	0.49
TYT-07-007	27.00	28.00	0.43
TYT-07-007	28.00	29.00	0.53
TYT-07-007	29.00	30.00	0.44
TYT-07-007	30.00	31.00	0.54
TYT-07-007	31.00	32.00	0.38
TYT-07-007	32.00	33.00	0.50
TYT-07-007	33.00	34.00	0.48
TYT-07-007	34.00	35.00	0.46
TYT-07-007	35.00	36.00	0.44
TYT-07-007	36.00	37.00	0.48
TYT-07-007	37.00	38.00	0.49
TYT-07-007	38.00	39.00	0.51
TYT-07-007	39.00	40.00	0.53
TYT-07-007	40.00	41.00	0.73
TYT-07-007	41.00	42.00	0.52
TYT-07-007	42.00	43.00	0.63
TYT-07-007	43.00	44.00	0.91

TYT-07-007	44.00	45.00	0.77
TYT-07-007	45.00	46.00	0.60
TYT-07-007	46.00	47.00	0.46
TYT-07-007	47.00	48.00	0.56
TYT-07-007	48.00	49.00	0.36
TYT-07-007	49.00	50.00	0.38
TYT-07-007	50.00	51.00	0.43
TYT-07-007	51.00	52.00	0.40
TYT-07-007	52.00	53.00	0.33
TYT-07-007	53.00	54.00	0.41
TYT-07-007	54.00	55.00	0.32
TYT-07-007	55.00	56.00	0.41
TYT-07-007	56.00	57.00	0.86
TYT-07-007	57.00	58.00	1.35
TYT-07-007	58.00	59.00	1.02
TYT-07-007	59.00	60.00	0.97
TYT-07-008	0.00	1.00	0.21
TYT-07-008	1.00	2.00	0.14
TYT-07-008	2.00	3.00	0.27
TYT-07-008	3.00	4.00	0.20
TYT-07-008	4.00	5.00	0.27
TYT-07-008	5.00	6.00	0.14
TYT-07-008	6.00	7.00	0.22
TYT-07-008	7.00	8.00	0.22
TYT-07-008	8.00	9.00	0.44
TYT-07-008	9.00	10.00	0.31
TYT-07-008	10.00	11.00	0.93
TYT-07-008	11.00	12.00	1.69
TYT-07-008	12.00	13.00	0.89
TYT-07-008	13.00	14.00	3.57
TYT-07-008	14.00	15.00	0.62
TYT-07-008	15.00	16.00	0.77
TYT-07-008	16.00	17.00	0.35
TYT-07-008	17.00	18.00	5.26
TYT-07-008	18.00	19.00	2.13
TYT-07-008	19.00	20.00	0.34
TYT-07-008	20.00	21.00	0.26
TYT-07-008	21.00	22.00	0.55
TYT-07-008	22.00	23.00	0.27
TYT-07-008	23.00	24.00	0.24
TYT-07-008	24.00	25.00	0.13
TYT-07-008	25.00	26.00	0.19
TYT-07-008	26.00	27.00	0.19

TYT-07-008	27.00	28.00	0.27
TYT-07-008	28.00	29.00	0.24
TYT-07-008	29.00	30.00	4.28
TYT-07-008	30.00	31.00	0.50
TYT-07-008	31.00	32.00	0.48
TYT-07-008	32.00	33.00	0.25
TYT-07-008	33.00	34.00	0.50
TYT-07-008	34.00	35.00	0.86
TYT-07-008	35.00	36.00	0.52
TYT-07-008	36.00	37.00	2.19
TYT-07-008	37.00	38.00	1.64
TYT-07-008	38.00	39.00	4.05
TYT-07-008	39.00	40.00	2.62
TYT-07-008	40.00	41.00	1.87
TYT-07-008	41.00	42.00	1.99
TYT-07-008	42.00	43.00	1.94
TYT-07-008	43.00	44.00	1.78
TYT-07-008	44.00	45.00	0.40
TYT-07-008	45.00	46.00	0.34
TYT-07-008	46.00	47.00	0.43
TYT-07-008	47.00	48.00	1.99
TYT-07-008	48.00	49.00	5.56
TYT-07-008	49.00	50.00	2.07
TYT-07-008	50.00	51.00	1.95
TYT-07-008	51.00	52.00	0.85
TYT-07-008	52.00	53.00	0.50
TYT-07-008	53.00	54.00	0.38
TYT-07-008	54.00	55.00	0.76
TYT-07-008	55.00	56.00	0.30
TYT-07-008	56.00	57.00	0.29
TYT-07-008	57.00	58.00	0.25
TYT-07-008	58.00	59.00	0.36
TYT-07-008	59.00	60.00	0.29
TYT-07-008	60.00	61.00	0.31
TYT-07-008	61.00	62.00	0.31
TYT-07-008	62.00	63.00	0.32
TYT-07-008	63.00	64.00	0.26
TYT-07-008	64.00	65.00	0.22